



# SAFETY DATA SHEET

# M-POWER MICRO PAK

SDS NUMBER: MM-1-16

SDS REVISIONS: NEW

DATE OF ISSUE: 09/08/16

SUPERSEDES: NEW

**FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300**

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

### 1.1 PRODUCT IDENTIFIER:

TRADE NAME: M-POWER MICRO PAK

### 1.2 RECOMMENDED USE:

LIQUID PLANT NUTRITION

### 1.3 SUPPLIER DETAILS:

CROP PRODUCTION SERVICES, INC.  
P.O. Box 1286 • Greeley, CO 80632-1286

#### MANUFACTURED FOR AND DISTRIBUTED BY:

THE MCGREGOR COMPANY  
P.O. Box 740 • Colfax, WA 99111 • 509-397-4355

### 1.4 24-Hour Emergency Phone:

Chemtrec 1-800-424-9300 Acct.#: 14045  
U.S. Coast Guard National Response Center: 1-800-424-8802

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

#### Classification according to 29 CFR 1910.1200

Acute Toxicity - Oral	Category 4	H302
Acute Toxicity - Dermal	Category 5	H313
Eye Damage/Irritation	Category 2B	H320

### 2.2 Label elements



Signal word: WARNING  
Hazard Statement: H302 – Harmful if swallowed  
H320 – Causes eye irritation.  
H313 – May be harmful in contact with skin.

Precautionary Statement: P264 – Wash hands and face thoroughly after handling.  
(Prevention): P270 – Do not eat, drink or smoke when using this product.

Precautionary Statement: P301+P312 – IF SWALLOWED: Call a poison center or doctor/physician if you feel unwell.  
(Response): P330 – Rinse mouth.  
P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 – If eye irritation persists: Get medical advice/attention.

Precautionary Statement: P405 – Store locked up.  
(Storage):

Precautionary Statement: P501 – Dispose of contents/container in accordance with local, state and federal requirements.  
(Disposal):

### 2.3 Other hazards

None known



# SAFETY DATA SHEET

SDS NUMBER: MM-1-16

SDS REVISIONS: NEW

DATE OF ISSUE: 09/08/16

**M-POWER MICRO PAK**

**SUPERSEDES: NEW**

---

### 3. COMPOSITION, INFORMATION ON INGREDIENTS

---

#### 3.2 Mixtures

Chemical Name:	CAS No.	Concentration [%]
Zinc EDTA	14025-21-9	44.93
Iron EDTA	21265-50-9	22.44
Manganese EDTA	15375-84-5	20.20
Proprietary	Proprietary	6.75
Proprietary	Proprietary	2.4 – 3.0
Proprietary	Proprietary	0.07 – 1.5
Proprietary	Proprietary	0.13
Water	7732-18-5	0.50

Ingredients not precisely identified are proprietary or non-hazardous.

---

### 4. FIRST AID MEASURES

---

#### 4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.

- Eye contact:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- Ingestion:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.
- Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- Inhalation:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

#### 4.2 Most Important Symptoms and Effects, Acute and Delayed

Symptoms: Harmful if swallowed. Causes eye irritation. May be harmful in contact with skin. May cause mucous membrane irritation.

#### 4.3 Immediate Medical Attention and Special Treatment

Treatment: Treat symptomatically. Symptoms may be delayed.

**FOR A MEDICAL EXPOSURE INVOLVING THIS PRODUCT CALL CHEMTREC: 1-800-424-9300**

Take container, label or product name with you when seeking medical attention.

**NOTES TO PHYSICIAN:** No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

---

### 5. FIRE FIGHTING MEASURES

---

#### 5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media: Water fog, water spray, carbon dioxide (CO<sub>2</sub>), foam. Do not use water jet as this will spread the fire.

#### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting: During a fire, irritating, corrosive and/or toxic gases may be produced.

#### 5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.



# SAFETY DATA SHEET

# M-POWER MICRO PAK

SDS NUMBER: MM-1-16

SDS REVISIONS: NEW

DATE OF ISSUE: 09/08/16

SUPERSEDES: NEW

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions: Avoid inhalation of vapors and spray mist and contact with skin and eyes. Ensure adequate ventilation. Wear suitable protective clothing.

### 6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers, or watercourses.

### 6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. After removal flush contaminated area thoroughly with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to Remove residual contamination. Never return spills to original containers for re-use.

## 7. HANDLING AND STORAGE

### 7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling: Avoid inhalation of vapors / spray and contact with eyes, skin and clothing. Do not breathe mist or vapor. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. Wash thoroughly after handling. Do not empty into drains. Handle and open container with care. Use care in handling/storage. Wash before eating, drinking and/or smoking.

### 7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers: Keep container tightly closed. Store in a cool, dry, well-ventilated area. Do not store below 0 °F (-17.7 °C). Always use oldest stock first. Do not store near food, foodstuffs, drugs or potable water supplies.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 CONTROL PARAMETERS:

#### OCCUPATIONAL EXPOSURE LIMITS

##### U.S. Workplace Exposure Level (ACGIH) TLVs®

Components	Type	Value
Monoethanolamine	TWA	7.5 mg/m <sup>3</sup> – 3 ppm
	STEL/CEIL (C)	15 mg/m <sup>3</sup> – 6 ppm
Boron compounds, inorganic	TWA	2 mg/m <sup>3</sup> (Measured as inhalable fraction of the aerosol)
	STEL/CEIL (C)	6 mg/m <sup>3</sup> (Measured as inhalable fraction of the aerosol)
Iron salts, soluble, as Fe	TWA	1 mg/m <sup>3</sup>

##### U.S. Workplace Exposure Level (OSHA) PELs

Components	Type	Value
Monoethanolamine	TWA	6 mg/m <sup>3</sup> – 3 ppm

#### Biological limit values

##### ACGIH Biological Exposure Indices

Components	Value	Specimen
No listings		

### 8.2 EXPOSURE CONTROLS:

#### Engineering Measures

Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and spray mists. Provide eyewash station and safety shower.

#### Individual Protection Measures:

Eye / Face Protection: Goggles or shielded safety glasses are recommended.  
Skin Protection: Chemical resistant clothing is recommended. Routinely wash work clothing and protective equipment to remove contaminants. The use of chemical-resistant gloves is recommended when handling undiluted product. Be aware that the liquid may penetrate the gloves. Frequent change is advisable.  
Respiratory Protection: In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory equipment. Wear respiratory protection during operations where spraying or misting occurs. In the U.S.A., if respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.



## SAFETY DATA SHEET

SDS NUMBER: MM-1-16

SDS REVISIONS: NEW

DATE OF ISSUE: 09/08/16

**M-POWER MICRO PAK**

SUPERSEDES: NEW

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

---

9.1 APPEARANCE:	Liquid
ODOR:	Slight ammonia
ODOR THRESHOLD:	Not established.
COLOR:	Brown.
pH:	8.7.
MELTING POINT / FREEZING POINT:	No data available
BOILING POINT:	No data available
FLASH POINT:	No data available
FLAMMABILITY (solid, gas):	No data available.
UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:	Not applicable.
VAPOR PRESSURE:	No data available.
SOLUBILITY:	Soluble
PARTITION CO-EFFICIENT, n-OCTANOL / WATER:	No data available.
AUTO-IGNITION TEMPERATURE:	No data available.
DECOMPOSITION TEMPERATURE:	No data available
VISCOSITY:	No data available
SPECIFIC GRAVITY (Water = 1):	1.25 g/ml
DENSITY:	10.44 lbs./gal   1.25 kg/l

Note: These physical data are typical values based on material tested but may vary from sample to sample.  
Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

---

### 10. STABILITY AND REACTIVITY

---

#### 10.1 REACTIVITY

Stable

#### 10.2 CHEMICAL STABILITY

Stable under normal temperature conditions

#### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No reactions known under normal use conditions. Will not polymerize.

#### 10.4 CONDITIONS TO AVOID

No data available.

#### 10.5 INCOMPATIBLE MATERIALS

No data available

#### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May include but are not limited to oxides of carbon, hydrogen chloride, hydrogen fluoride, oxides of nitrogen, ammonia, oxides of phosphorus, oxides of sulfur, hydrogen sulfide.

---

### 11. TOXICOLOGICAL INFORMATION

---

#### 11.1 LIKELY ROUTES OF EXPOSURE

Skin contact, eye contact.

**LC<sub>50</sub> (rat):** > 2.0 mg/L (4 HR) Boric Acid; 20 mg/L (4 HR) (Monoethanolamine).

**LD<sub>50</sub> Oral (rat):** > 2550 mg/kg (Boric Acid); 1089 mg/kg (Monoethanolamine)

**LD<sub>50</sub> Dermal (rat):** No data available

**Acute Toxicity Estimates:** No data available

**Skin Irritation (rabbit):** Causes skin irritation.

**Eye Irritation (rabbit):** Causes eye irritation.

**Specific Target Organ Toxicity:** Single exposure: May cause respiratory irritation.

**Aspiration:** No data available

**Skin Sensitization (guinea pig):** Not a sensitizer

**Carcinogenicity:** No data available

**Germ Cell Mutagenicity:** No data available

**Interactive Effects:** None known



# SAFETY DATA SHEET

SDS NUMBER: MM-1-16

SDS REVISIONS: NEW

DATE OF ISSUE: 09/08/16

# M-POWER MICRO PAK

SUPERSEDES: NEW

## 12. ECOLOGICAL INFORMATION

### 12.1 ECOTOXICITY

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

#### Ecotoxicological Data

Components	Species	Test Results
Boric Acid	Daphnia magna	100 mg/l – 48-hour EC <sub>50</sub>
Monoethanolamine	Cyprinus carpio	349 mg/l – 96 hour LC <sub>50</sub>
	Daphnia magna	65 mg/l – 48-hour EC <sub>50</sub>

Drift or runoff may adversely affect non-target plants.  
Do not apply directly to water.  
Do not contaminate water when disposing of equipment wash water.  
Do not apply when weather conditions favor drift from target area.

### 12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: No data available

### 12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: No data available.

### 12.4 MOBILITY IN SOIL

No data available

### 12.5 OTHER ADVERSE EFFECTS

Assessment: No data available.

## 13. DISPOSAL CONSIDERATIONS

### 13.1 WASTE TREATMENT METHODS

Do not reuse container. Triple rinse (or equivalent), adding rinsate to spray tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at <http://www.acrecycle.org/>, or by reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Do not contaminate water, food or feed by storage or disposal.

## 14. TRANSPORT INFORMATION

### 14.1 LAND TRANSPORT

DOT Shipping Description: NOT REGULATED BY US DOT

U.S. Surface Freight Classification: FERTILIZING COMPOUNDS (MANUFACTURED FERTILIZERS), NOI, LIQUID (NMFC 68140, SUB 6; CLASS 70)

## 15. REGULATORY INFORMATION

### 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

#### NFPA & HMIS Hazard Ratings:

#### NFPA

1	Health	0	Least
0	Flammability	1	Slight
0	Instability	2	Moderate
		3	High
		4	Severe

#### HMIS

1	Health
0	Flammability
0	Reactivity
B	PPE



# SAFETY DATA SHEET

## M-POWER MICRO PAK

SDS NUMBER: MM-1-16

SDS REVISIONS: NEW

DATE OF ISSUE: 09/08/16

SUPERSEDES: NEW

### SARA Hazard Notification/Reporting

SARA Title III Hazard Category:	Immediate	<u>Y</u>	Fire	<u>N</u>	Sudden Release of Pressure	<u>N</u>
	Delayed	<u>N</u>	Reactive	<u>N</u>		

**Reportable Quantity (RQ) under U.S. CERCLA:** Copper Compounds 5,000 lbs.; Manganese Compounds; Zinc Compounds (see 50 FR 13456, April 4, 1985)

**SARA, Title III, Section 313:** Copper Compounds (N100); Manganese Compounds (N450); Zinc Compounds (N982)

**RCRA Waste Code:** Not listed

**CA Proposition 65:** Not applicable

---

## 16. OTHER INFORMATION

---

**SDS STATUS:** New

**PREPARED BY:** Registrations and Regulatory Affairs

**REVIEWED BY:** Environmental Health and Safety

**Disclaimer and Limitation of Liability:** This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and THE MCGREGOR COMPANY disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.